




Confidential

Statements in this presentation constitute "forward-looking" statements. These statements, which generally describe the objectives, plans, or goals of Medicortex Finland Oyj, may involve risks and uncertainties that could cause actual results to differ materially from those stated or implied in this context.

© Medicortex Finland Oyj




Traumatic Brain Injury (TBI)




- TBI occurs after a hit to the head
 - > For example, in falls, vehicular accidents, contact sports, and blasts
- It causes immediate physical damage to brain tissue
- However, it also exposes the healthy part of the brain to metal ions, free radicals and inflammation

Sets off a cascade of chemical reactions that damages surrounding healthy tissue



Leading Causes of TBI





Other or unknown

Cause E.g. blasts and explosions, firearms, medical procedures

TBI: Get the Facts

TBI – A Global Problem



New cases each year

- Around 69 million TBI cases globally *
 - 2.8 million in the US **
 - 2.5 million in Europe ***
 - 0.6 million in Australia
 - 0.5 million in Canada
- Most cases are closed head injuries
 - Difficult to detect, potentially risky situation
 - ~90% of cases are categorized as "mild TBI"

 The Need: Accurate and rapid detection of head injuries



^{* &}lt;u>Dewan et al. (2019) J Neurosurg 130: 1080-1097</u>

^{**} Centers for Disease Control and Prevention (CDC)

^{***} CENTER-TBI EU

Our Solution for Diagnostics




A test strip is dipped in **saliva** (IndicateTBI) or **urine** (ProbTBI™)




Hand-held, Rapid, Easy-to-read



The biochemical test responds to biomarkers that appear in urine and saliva shortly after brain injury





Why Is the Test Needed?

- Currently, diagnosis is based on description of injury event and patient's symptoms
 - ➤ Glasgow Coma Score (3 15)
- Computer tomography (CT) and Magnetic resonance imaging (MRI) cannot detect mild injuries
 - > Require hospital environment
 - > Expensive procedures
 - > Exposure to irradiation (CT)
 - > Potential anaesthesia/sedation, especially for children
- A reliable laboratory test to support / confirm / exclude the diagnosis is not available







- Medicortex is developing a biomarker test based on saliva or urine samples which are less investigated for this purpose
- These biomarkers are glycans and degradation products released to the circulation after the brain cell damage
- Medicortex has the know-how to capture and identify these glycans and breakdown products




Illustration. Different glycan structures.



Three Clinical Studies – Published Results



1st Clinical trial: Proof-of-Concept

	ratients	Deculte muhliehed.			
Patients with suspected TBI	12	Results published:			
		Kvist M, Välimaa L, Harel A, et al. (2021) Glycans as Potential Diagnostic			
Healthy controls	12	Markers of Traumatic Brain Injury. Brain Sciences 11:1480.			
ricaltry controls		https://doi.org/10.3390/brainsci11111480			

2nd Clinical trial: TBI vs. Healthy & Orthopedic trauma

Patients with suspected TBI	24	Chron Profiling in Caliva and Urinor Evaloring Potential
Patients with orthopedic injury	16	 Glycan Profiling in Saliva and Urine: Exploring Potential Biomarkers for Mild Traumatic Brain Injury. Manuscript under preparation
Healthy controls	29	Manuscript under preparation

3rd Clinical trial: Children



Dationto

Kvist M, Välimaa L, Harel A, Malmi S & Tuomisto A (2023) Glycans as Potential Diagnostic Markers of Traumatic Brain Injury in Children. *Diagnostics* **13**:2181. https://doi.org/10.3390/diagnostics13132181

Clinical Trials – Conclusions



- Biomarkers showed statistically significant differences between injured and healthy subjects – correspondence with prior animal data results
- Biomarkers were recognized by their ability to bind to several lectins
- Individual glycan profiling by mass spectrometry revealed several structures that were different between injured and healthy subjects
- Medicortex reached a significant milestone -> a proof-of-concept





Analysis of the samples collected in the second clinical trial was enabled by a grant received from the US Department of Defense (DoD) / U.S. Army Medical Research and Materiel Command.



Analysis of the samples from the third clinical study was supported by Business Finland.


Biomarker Detection on a Strip



Demonstration of biomarker detection on a nitrocellulose strip using colloidal gold label

Saliva samples Measured darkness of spots Visual outlook 40 Pixel Intensity (x 1000) 30 20 10 Healthy **TBI Healthy TBI**


Urine samples



Biomarker Synthesis and Binder Development



- Medicortex has resolved the structure of the biomarker and produced an equivalent synthetic structure for antibody generation and assay development
- Monoclonal antibodies and aptamers are currently developed as binders of the biomarker



R&D Plan for the Urine Test Development



	2024/Q3	2024/Q4	2025/Q1	2025/Q2	2025/Q3	2025/Q4	2026/Q1	2026/Q2
Binder development								
Prototype kit assembly								
Evaluation of the prototype								
Initiation of regulatory process								
Production of prototype batch								
Clinical evaluation of the final product								
New patent applications								

Case Study – Testimonial





- It's winter in Turku, Finland
- A person is jogging, slips on the icy sidewalk and hits his head, losing consciousness for a few minutes
- Magnetic Resonance Imaging (MRI) is performed immediately after the injury at the local hospital
 - No clinical observations of recent brain injury were found
 - The "healthy" patient was sent home
- Medicortex performs biomarker analysis on patient's urine and saliva
 - High levels of biomarkers are detected, similar to those of confirmed TBIpatients (see next slide)

Case Study – Biomarker results



Example on three biomarker levels in saliva and urine; relative increase over the average healthy level






Case Study – Second MRI



MRI scanning was repeated after the biomarker results

- MRI showed frontal cranial hemorrhage and minor blood degradation products that were not detected in the first MRI
- Radiologist stated that alterations may be related to the recent head injury







Illustration of MRI findings in TBI (not from the case study)
Left – normal Right - TBI

2nd Generation Quantitative Test



Electrochemical sensor and device for quantitative measurement (TesTBI)

- Recognition of the biomarker in sample by highly specific synthetic binding molecules (aptamers)
- Biomarker in sample triggers an electric signal on sensor which is translated to quantitative value through unique software
- Collaboration with Fepod Oy Ltd (<u>www.fepod.fi</u>)
- Funding is searched for expanding the project



Illustration

Medicortex Test Advantages



ProbTBI™ Kit

TesTBI Reader Device



Affordable

Can be sold "off the shelf"

Fast Mobile

Easy to use

Patient friendly

No radiation or contrast agent exposition

Reusable Quantitative



Our Potential Clients





Army paramedics



Hospitals and emergency rooms



Paramedics



First responders



Sport teams



Schools



Nursing homes



Private people



Insurance companies




Pharma companies

Market Potential



Traumatic Brain Injury diagnostic global market expected to reach \$3.3 billion by 2029




Source: Cognitive Market Research (2021)

Market growth can be related to increase in population, aging population, increased number of vehicles on the road, and extra leisure time to get engaged with risky activities, as well as enhanced clinical classification and diagnostics.

* Includes sales to organizations and pharmacies as well as e-commerce sales

Sales Growth



Drug Development: Future Prospects

Neuro-protective Medication for Brain Injury


- Medicortex has designed and patented several compounds (New Chemical Entities, NCE) with multiple neuroprotective functionalities
 - > Potential **drug candidates** for halting the exacerbation of the brain injury (secondary injury)
- Secondary injury involves multiple biochemical reaction cascades occurring in the brain
- A multifunctional drug is believed to have higher therapeutic potential than previously studied drug candidates which targeted single reaction pathways



Neuro-protective Medication for Brain Injury



- Two compounds (TBI-466 and MCF-013) have been chemically synthesized
 - Found to be safe in preclinical escalating dose studies
- The compounds
 - Have the ability to cross the blood-brain barrier (BBB)
 - Contain a newly designed chemical spacer on which at least two functional groups are attached
 - Have several neuroprotective properties:
 - ✓ Binding of free metal ions
 - ✓ Anti-oxidation
 - ✓ Anti-inflammation
 - Free radicals scavenging



Intellectual Property Position

Patents for the Biomarker and Diagnostics



- Prognostic and Diagnostic Glycan-based Biomarkers of Brain Damage
 - European patent No. 3283880
 - US patent No. 10,739,335
 - Canadian patent No. 2,982,503
 - Israeli patent No. 254 980
- 2. Non-invasive Brain Injury Diagnostic Device
 - PCT-application WO/2018/154,401, has entered national phases
 - South African patent (number pending)
 - Utility model granted in China and Australia
- 3. Device and Method for Detecting of Brain Injury in a Subject
 - PCT-application WO 2021/099677
 - Australian innovation patent No. 2020104474
 - Finnish Utility model No. 13179

Patents for the Biomarker and Diagnostics (continues)



- 4. A Method for Determining a Lectin-binding Glycan Indicative to Traumatic Brain Injury
 - European patent No. 4133279
 - PCT-application WO 2021/205059
- 5. A Method for Diagnosis of Traumatic Brain Injury
 - Finnish patent No. 130340
 - PCT-application WO 2023/161557
- 6. Method of Detecting Tissue Damage
 - Finnish patent No. 130428
 - PCT-application WO 2023/161553
- 7. A Hand-held Liquid Sample Collection and Testing Device
 - Finnish utility model No. 13331
 - German utility model No. 20 2023 100 246



Patents for the Drug Development

- Multivalent Compounds for Use in the Treatment and Prevention of Brain Damage
 - US patent No. 9,975,846
 - Finnish patent No. 127024
 - Israeli patent No. 251407
 - European patent No. 3201173
- 2. Conjugates and Conjugates for Use in Preventing or Treating of Brain Damage and Neurodegenerative Diseases
 - PCT-application WO 2021/038125
 - Finnish patent No. 130262

Patent for COVID-19 Diagnostics

- 1. Method for Determining Coronavirus and Kit for the Same
 - PCT-application WO 2021/205058
 - European patent No. 3911956



Public and Private Financing ±16.28%

Equity up to Now

- About 3.3 M€ from the founder and 281 private investors
- Total number of shares issued about 22 million
- Current price per share 1.00 € and total valuation 22 M€

Subsidies in the Past / Ongoing

- Total of 3.8 M€ in grants
 - Including 1.1 M + 2.1 M dollars from the US Department of Defense
- 70 k€ in awards

Present

- A research grant of 1.4 million dollars signed with the US Department of Defense (see <u>press release</u>)
- Medicortex is looking for investors:
 - https://www.medicortex.fi/eng/investors/












From 2014-2023 Increase in Value





Use of Funds 2024-2025



New investments will be used for the diagnostic kit development:

- Urine test prototype assembly and manufacturing
- Test validation in clinical experiments
- Initiation of the regulatory process
- Performing the TesTBI electrochemical sensor feasibility studies



- Chairman of the Board Adrian Harel, PhD, **MBA**
- Independent Member Anna Tenstam, MSc, MBA, served as a manager and board member in several companies
- Independent Member Nils Grönberg, experienced Executive in many companies and foundations
- Independent Member Ville Ranta-Panula, MSc, MBA, experienced drug development and business development professional











The Team





CEO, FounderAdrian Harel
PhD, MBA



CSO Lasse Välimaa PhD



COOPihla Miettinen
MSc



Scientific Writer Leonardo Lara-Valderrábano PhD



Product Manager
Begum Utz
PhD



Senior Scientist
Ivette Bañuelos
PhD



Development Engineer Kaisa Leppä MSc tech.

Medicortex Medicortex Finland Plc signed a 1.4 million dollars research grant contract with the U.S. Department of Defense in the Press Medicortex Finland Plc appointing new members for the **Board of Directors** Medicortex was granted a European patent for detection of biomarker indicative to brain injury **Business Finland supporting Medicortex** Medicortex was granted a Finnish patent related to the detection of tissue damage Medicortex Finland was granted a European patent related to the diagnostics of COVID-19 in saliva



YouTube videos

- How repeated concussions affect your brain
- Concussion in sports and Medicortex test
- Concussion in army personnel and Medicortex test

LinkedIn[™] **group**

- The Science Behind TBI
 - Posts and discussion about science and research on TBI
 - >2,800 members

www.medicortex.fi

